

Moistsrapishvili V.A. (Novorossiisk)

CASES FROM PRACTICE

Scenar-THERAPY has been used since the beginning of 1998. Many patients have been treated for this time. The most interesting cases are given below.

The male of 59 years. A purulent wound of the bottom third of the left shin, complicated with erysipelatos inflammation. The edema with sharp hyperemia. The fortnight treatment (15 procedures) was prescribed. Absolute recovery.

The woman of 40 years. Osteochondrosis, coccyx contusion. Severe pains in the backbone area. 10 procedures were taken. Absolute recovery.

The man of 70 years. Stenocardia. All the attributes of stenocardia were removed after having 8 procedures.

The woman of 85 years. Stenocardia. Right-side ischiasis, curvature of the spine up to scapula in the chest area. Stenocardia, ischiasis have been removed for 2 weeks. The repeated procedures were taken two months later. The spine curvature in the chest area was essentially reduced (for one finger to the right).

The girl of 22 years. Arthritis of the right knee joint. The test for rheumatism was negative. She has been in the hospital for two months. The liquid was pumped off (about one glass) twice, various medicines were put into joints (the hormonal ones too). She was limp after discharge, could not go. 15 sessions were taken. She can go, Scenar-THERAPY is continued.

The man of 59 years. He had the left-side insult half-year ago (right-side hemi paresis); sensitivity, speech disorders, prolapse of nasolabial fold on the right, difficulties when walking. 21 procedures of Scenar-THERAPY were taken; the additional influence on the shaved head (it was difficult to persuade the patient to do it) was made. The improvement was faster after this processing. The speech, sensitivity, hands and legs movements were restored. He began to go better, could speak, the prolapse of nasolabial fold on the left disappeared. The arterial pressure (which was various in the beginning) was in norm (130/90-80). Catamnesis was more than year, no change for the worse.

The woman of 26 years. The acute bulbous otitis on the right complicated with the incipient mastoiditis, catarrhal otitis on the left, threefold otitis on the right were diagnosed. Treatment: 5 days, 2 sessions per day, absolute recovery.

The man of 59 years. Cholelithiasis attacks. The liver was notable for a palm, very painful after the first attack. Vomiting during all the day. The attack was removed completely without medicines taking. The therapy would be used for 20 days. USI was made: big stones. The patient was operated by laparoscope after the second attack (it was also removed without medicines). The stone "football" (diameter about 2 sm) was removed.

The girl of 6 years. Disbacteriosis. 10 procedures were taken. Analyses were in norm. In the future - insignificant aggravations. The repeated course of 10 procedures was taken without aggravations.

The boy of 11 years. The left-side arthritis, vasomotor rhinitis, scoliosis in the chest area for 1,5 sm to the right were diagnosticated. He had considerable improvement after having 8 procedures. The repeated course was carried out half-year later because of rhinitis aggravation. Besides, the attention was paid to the pathological occlusion. The top jaw was forward for 8 mm. 14 procedures were taken. The rhinitis was removed by the second-third session. The distance between tooth was reduced up to 5 mm by the fifth session. The mouth began to be closed, the salivation contents was decreased. The distance between the tooth was reduced up to 4 mm by the end of course. The spine was finally straightened.

The woman of 28 years. The osteochondrosis, scoliosis from 6-7 cervical till 10-12 pectoral vertebrae for 15 sm to the left (patrimonial trauma—the shoulder dislocation was missed), arthritis of the right humeral joint, left-side plexitis were diagnosticated. The pains in the left hand, fingers didn't let sleep at night. She could rise the right hand up to the shoulder; rotation was limited. 14 procedures were taken. The pains in the left hand were removed after the 1st session. The fingers numbness wasn't marked; the pains in the spine cervicothoracic area disappeared after having 3 procedures. The pains in the left hand have absolutely disappeared by the 8th procedure. The spine was straightened. The patient began to rise the right hand upwards; rotation was in norm.

Control was carried out 5 months later. The patient feels better—the spine is straight, movement of the right hand upwards is full, rotation is in norm.

The woman of 25 years. Blows: facial hematoma (eyes, more the left one, cheeks, forehead edema), hemorrhage into sclera. The fractures are not marked on the roentgenogram. Acute headaches. 17 procedures were taken 2 times per day during first 3 days. The edema disappeared by the second day, hematomas were resolved by the 7th day.

The woman of 43 years. The AHC (acute heart contraction) is not marked at puncture. The nodular goiter of the thyroid gland, throat edema in the area of arytenoideus and “lateral pockets” were diagnosticated. 7 procedures were taken. The arytenoideus began to be defined by the second procedure, “lateral pockets” were empty by the fourth one. The edema was removed by the seventh session. Probably, the left node of thyroid gland squeezed the lymphangions. The larynx ligaments were in norm.

The man of 46 years. The trauma of head (he has fallen from the ladder in a garage). The fracture of the right temporal bone, scissure of the skull base, bleeding from the right ear accompanied by the hearing loss were diagnosticated. On the tomogram—micro insult in the right temporal area. The

paresis of the facial nerve (the eye is open, the left hangs) and the speech disorder. 15 sessions were taken in hospital with simultaneous medicamentous treatment prescribed by neurosurgeon. First 2 days—processing two times per day. The external hypostasis of soft tissues of the right temporal, parietal and cervical areas disappeared after having two procedures, morbidity of skull bones was removed. The eye began to open slightly and the food stuck behind the right cheek, speech was good after the fifth procedure. He felt the lightness. The patient could hear by periods, the eye closed better, the lower lip was at horizontal level, the food didn't stick, the speech was more distinctly after the sixth session. By the sixth procedure, the eyes closed completely, but there was not reduction of century, nasolabial fold droops at bared teeth for 3-4 mm, the hearing was up to 0,5 m, the headache in temporal area didn't not disturb. The arterial pressure in the morning—150/90, lightness in the spine pectoral department. By the eighth procedure, there was not headaches, the eye closed completely, reduction of the top left century, the relapse of nasolabial fold was insignificant, speech was distinct, the hearing was improved. By the ninth procedure, the eyelid was reduced more strongly, pathological symptoms were slackened.

The tenth procedure. Some discomfort was removed, the eye closed completely, the eyelid reduced normally at irritation (as the healthy man), the hearing was restored up to 2 m.

After 15 procedures: no pains, good health, restored speech, nasolabial fold at bared teeth falls up to 2 mm, hearing—up to 3 meters.